#### SECRET! NOFORN



# DEPARTMENT OF THE ARMY UNITED STATES ARMY CENTRAL CAMP ARIFJAN, KUWAIT APO AE 09306

ACOP-AV

20 August 2015

MEMORANDUM FOR Commanding General, United States Army Central, Camp Arifjan, Kuwait, APO AE 09306

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

1. (S//REL TO USA, MESF) Purpose. On 21 July 2015, BGen Kevin J. Killea appointed me an investigating officer (IO) pursuant to AR 15-6 to conduct an informal investigation into the facts and circumstances surrounding the authorization of a kinetic engagement conducted against a VBIED (vehicle-borne improvised explosive device) factory in Al Hawijah, Iraq on 02 June 2015. After careful review of all available evidence, I find that it is probable that the attack resulted in civilian casualties but that the engagement was properly conducted under the Laws of Armed Conflict and the applicable Rules of Engagement.

2. (S//REL TO USA, IRKS) Ba	ckground. On 02	2 2103Z June 2015(h)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g
(b)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g	condu	cted a deliberate strike against the "Al Hawijah
ISIL VBIED Factory (1)1. icin Al	Hawijah, Iraq.	(b)(1)1.4a, (b)(1)1.4g
	(b)(1)1.4a, (	(b)(1)1.4g
		gered a large secondary explosion that caused
damage to structures beyond the	facility outline.2	Post-strike assessments indicate that in the
area surrounding the blast, 111 b	ouildings were co	infirmed destroyed, 75 buildings sustained
severe damage, 86 buildings sus	tained moderate	damage, and 160 buildings sustained light
damage. Additionally, in a resid	lential area locate	ed approximately 500 feet north of the target
area 25 buildings were confirme	d destroyed, 52 b	buildings sustained severe damage, 68 buildings
sustained moderate damage, and	103 buildings su	astained light damage.3

3. (U) <u>Facts</u>. The following sub-paragraphs chronologically detail facts derived from information collected throughout the duration of this investigation.

a. (S//REL) The Al Hawijah ISIL VBIED Factory was nominated as a target based on

(b)(1)1.4a, (b)(1)1.4c

VBIED factory. Four (1)1.4a, (b)(1) reports variously identified the facility as an ISIL IED and

SECDET! NOFODN

Exhibit 1 - Target Pack 0427RS4475\_RT001

<sup>&</sup>lt;sup>2</sup> Exhibit 2 - Strike 2 June 15 VBIED Factory Impact Video

<sup>&</sup>lt;sup>3</sup> Exhibit 3 - OIR Daily BDA Update, 05 June 2015

## SECRET// NOFORN

ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

VBIED factory and weapons cache.	(b)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g
(b)(1)1.4a,	(b)(1)1.4c, (b)(1)1.4g
(b)(1)1.4a, (b)(1)1.4c, (b)(Additionally, JIEDDO determines such as its warehouse buildings with drive-the VBIED production.4	ned that the physical characteristics of the facility, hrough access, indicated that the facility is used for
(b)(1)1.4a,	(b)(1)1.4c, (b)(1)1.4g

- (4) (S//REL) Central Intelligence Agency (CIA) Concur with Comments. Confirmed likely ISIL affiliation based on four HUMINT sources, but noted the potential for collateral damage based on the adjacent residential neighborhood.
- c. (S//REL TO USA, IRKS) On 28 May 2015 the target went to the Target Development Working Group (TDWG) and was approved for further development.
- d. (S//REL TO USA, IRKS) On 29 1500C May 2015 the (b)(1)1.4c AL HAWIJAH ISIL VBIED FACTOR YE)(1)1.4c(IZ) CJTF" target was briefed for validation at the Joint Targeting Coordination Board (JTCB) by the Combined Joint Task Force Operation INHERENT RESOLVE (CJTF-OIR) CJ2T (Intelligence Targeting directorate). The target was validated for subsequent briefing at the next Joint Targeting Approval Board (JTAB).
  - e. (S//REL USA, FVEY) On 29 1800C May 2015 the "AL HAWIJAH ISIL VBIED

<sup>5</sup> Exhibit 5 - Intel Community Vetting Document

<sup>7</sup> Exhibit 7 - JTCB, 29 MAY HAWIJAH IED

<sup>&</sup>lt;sup>4</sup> Exhibit 4 - Hawijah Intel Source Document

<sup>&</sup>lt;sup>6</sup> Exhibit 6 - TDWG, 28 MAY 15, (b)(1)1.4c HAWIJAH VBIED FACTOR (c)(1)1.4c

### SECRET/ NOFORM

ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

EACTORWAY 17" torget was briefed to the Commander CITE OIR for strike amountal in	L .
FACTORY to (1)1. dZ' target was briefed to the Commander, CJTF-OIR for strike approval in t Joint Target Approval Board. The Commander, CJTF-OIR approved the target and directed	
that it proceed as a "Paper" Joint Integrated Prioritized Target List (JIPTL) for expedited strik	
As a result, on 30 May 2015 CJTF-OIR requested the addition of the Al Hawijah ISIL VBIEI	
factory target (b)(1)1.4a	í.
(b)(1)1.4a	7
f. (S//REL TO USA, IRKS) The Target Pack produced by the Combined Air Operations	
Center (CAOC) included both United States Air Force Central (USAFCENT) and	
USCENTCOM analysis of the target (b)(1)1.4a	
(b)(1)1.4a The target was classified as "Not Dual-Use,"	2
meaning it did not serve both a both a military and civilian purpose or function. (b)(1)1.4a	
(b)(1)1.4a	
	_
g. (S//REL TO USA, IRKS) On 31 May 2015, the paper JIPTL for the target was approve	red
by the Deputy Commander, Combined Forces Air Component Command (DCFACC) at the	
CAOC and forwarded to the CJTF-OIR Deputy Commander-Air (DCOM-A). He approved it	
the same day for strike on 02 June 2015. 12 The Hawijah target was subsequently added to the	31
May 15 CJTF-OIR daily Fragmentary Order (FRAGORD). 13	To the
h. (S//REL TO USA, IRKS) On 01 1400Z JUN 15 the strike package mass brief was	
presented to the CAOC representatives (b)(1)1.4a	
Specifically briefed was the JDPI sort by aircraft and type of munition. <sup>14</sup>	
i. (S//REL TO USA, IRKS) The target was briefed at the 01 June 2015 CJTF-OIR Fires	and
Effects Synchronization Board (b)(1)1.4a, (b)(1)1.4g	
: (CURRY TO LICA MECE) O. 02 004(7 HINLIS A. AFOFNIT CAOCID ALL D.	
j. (S//REL TO USA, MESF) On 02 0946Z JUN 15 the AFCENT CAOC Battle Director	
sent the 5Ws for Hawijah mission success to the USAFCENT Commanding General. 16	
k. (S//PEL TO USA, IRKS) At the 05 June 2015 OIR Daily Battle Damage Assessment	
(BDA) Update, USCENTCOM briefed that the target was confirmed destroyed but also that	
there was "confirmed collateral damage." Post-strike assessments from 03 June 2015 indicate	d
there was committed contactal damage. Tost-strike assessments from 03 June 2013 indicate	u
8 T. 17 '- O. WILLD CO. WAY! 15	
<sup>8</sup> Exhibit 8 - JTAB, 29 MAY 15 <sup>9</sup> Exhibit 9 - Email- More Hawijah questions, 10 U.S.C. 130b, (b)(6)	
10 Exhibit 10 - Email- (b)(1)1.4a Paper JIPTL Nomination	
Exhibit 1 - Target Pack (b)(1)1.4c	
12 Exhibit 10 - Email- (b)(1)1.4a Paper JIPTL Nomination	
15 Exhibit 11 - CJTF_OIR_31_MAY_15_DAILY_FRAGO	
14 Exhibit 12 - Iraq Strike Package (B)(1)1 Mass Brief	
15 Exhibit 13 - 01 Jun Fires and Effects Synch Board 16 Exhibit 14 - 5 Ws CFACC Deliberate Strike Package #1 - (b)(1)1.4a 02 JUN 2015	
DAMON 17 - 2 113 CT ACC Denociate Surav I ackage #1 - [D](1)1.4a 02 JUN 2013	

# SECDET! NOFODN

# ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

that in the area surrounding the target 111 buildings were confirmed destroyed, 75 buildings sustained severe damage, 86 buildings sustained moderate damage, 160 buildings sustained light damage, and 9 buildings had no damage. The BDA also showed that in a residential area located approximately 500 feet north of the target 25 buildings were confirmed destroyed, 52 buildings sustained severe damage, 68 buildings sustained moderate damage, and 103 buildings sustained light damage. 18

- 4. (U) Findings. The sub-paragraphs below answer the questions per the "Scope of the Investigation" in the appointment orders.
- a. (S//REL TO USA, IRKS) Who authorized the engagement? The "AL HAWIJAH ISIL VBIED FACTOR Yb)(1)1. dZ" target engagement was authorized by the Commander, CJTF-OIR in the Joint Targeting Approval Board on 29 1800C May 2015.
- b. (U) Was the engagement properly conducted under the Laws of Armed Conflict, to include military necessity and proportionality? Yes.
- (1) (S//REL TO USA, IRKS) Military Necessity. The strike against the Al Hawijah ISIL VBIED Factory was conducted in accordance with the principle of military necessity. According to the Laws of Armed Conflict, "military necessity includes two elements: (1) a military requirement to undertake a certain measure, (2) not forbidden by the laws of war." The body of intelligence collected on the Al Hawijah ISIL VBIED Factory showed its purpose and use as an active ISIL VBIED and IED factory and weapons cache, which made it a lawful military target per the Rules of Engagement. The military requirement was determined by the assessment that its destruction would "moderately degrade ISIL ability to produce VBIEDs supporting offensive operations within the TRV [Tigris River Valley]." The target was also not forbidden by the laws of war: it was not characterized as a "sensitive target" or a "No-strike entity," it was not a dual-use facility.

(2) (S//REL TO USA, FVEY) Proportionality. The strike against the Al Hawijah ISIL VBIED Factory was conducted in accordance with the principle of proportionality. This principle is violated when an attack "may be expected to cause incidental loss of civilian life, injury to civilians, damage to civilian objects, or a combination thereof, which would be excessive in relation to the concrete and direct military advantage anticipated."<sup>23</sup> While the Al

(b)(1)1.4a

<sup>23</sup> Law Of Armed Conflict Deskbook, 2014, page 147

<sup>&</sup>lt;sup>17</sup> Exhibit 3 - OIR Daily BDA Update, 05 June 2015

<sup>18</sup> Exhibit 15 - CAOC CIVCAS Credibility Inquiry 2 June 2015

<sup>19</sup> Law Of Armed Conflict Deskbook, 2014, page 134

<sup>&</sup>lt;sup>20</sup> USCENTCOM 160755Z APR 15 Rules Of Engagement (ROE) Authorization Serial Three, para. 3.A.

<sup>&</sup>lt;sup>21</sup> Exhibit 7 - JTCB, 29 MAY HAWIJAH IED

<sup>&</sup>lt;sup>22</sup> CJCSI 3160.01, 12 October 2012, "No-Strike and the Collateral Damage Estimation Methodology"; Exhibit 16 - (b)(1)1 PAPER JIPTL

ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

Hawijah ISIL VBIED Factory wa			(b)(1)1.4a
(b)(1)1.4a	I believe the eviden	ce shows that p	proper target development
and weaponeering were conducte	d for this target. <sup>24</sup>	(b)	)(1)1.4a, (b)(1)1.4g
	(b)(1)1.4a, (b)(1)1		0.
the collateral damage methodolog secondary explosions. The Chair No-Strike and the Collateral Dam due to secondary explosions (i.e., consistently measured or predicte due to secondary explosions." <sup>27</sup> target development briefings and the applicable regulations. The explosion was exceptional even for assessments of thirteen other rece Hawijah attack show no collateral secondary effects. The prepond and not "expected to cause" any contract the collateral secondary effects. The preponding and not "expected to cause" any contract the collateral secondary effects.	man of the Joint Chinage Estimation Met weapons cache or ful. Commanders should be evidence shows mitigated through the vidence also shows to attacks against VI and VBIED and IED I damage that would be evidence of the evid	iefs of Staff Instance thodology, state uel tanks for mould remain cog that this risk we procedural methat the extraord BIED and IED facilities from It give precedent accessions that the collateral damage.	estruction (CJCSI) 3160.01A, es that "collateral damage ilitary equipment) cannot be gnizant of any additional risk as understood from the neasures in accordance with dinary high-order secondary facilities. Battle damage before and after the Al t to anticipating devastating the attack was proportional age.
c. (S/REL TO USA, MESF) the Rules of Engagement as outlin including its Annexes and Append declared hostile and may be attacl equipment" associated with ISIL.	ned in CJTF-OIR, O lices? Yes. Per the ked in Iraq and in Sy	PORD 15-001, CJTF-OIR Rul	DTG 160245Z DEC 14, les of Engagement, ISIL "is
P:6,6/ <sub>1</sub> O	(b)(1)1.4a, (b)(1)1.4c, (	(b) <mark>(1)1.4</mark> g	

<sup>&</sup>lt;sup>24</sup> USCENTCOM 160755Z APR 15 Rules Of Engagement (ROE) Authorization Serial Three, para. 2C
<sup>25</sup> Exhibit 17 - Email- Al Hawiight, 10 U.S.C. 130b, (b)(c) ug 15
<sup>26</sup> Exhibit 16b(1)1 PAPER JIPTI.
<sup>27</sup> CJCSI 3160.01A, No-Strike and the Collateral Damage Estimation Methodology, 12 October 2012, pg. D-6.

<sup>&</sup>lt;sup>28</sup> Exhibit 18 - VBIED BDA

<sup>&</sup>lt;sup>29</sup> Appendix 9 (Rules of Engagement) To Annex C To CJTF-OIR Operation Order 15-001, para. 4.a.

## ECDET! NOFOD

ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

(b)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g	

- (2) (S//REL TO USA, IRKS) Target Authorization. Per the 29 May 2015 Joint Target Approval Brief, the CJTF-OIR Commanding General determined that the "loss of this facility's ability to function as a VBIED factory would moderately degrade ISIL ability to produce VBIEDs supporting offensive operations within the TRV, specifically the Bayji area."<sup>31</sup> On 31 May 2015, the paper JIPTL for the target was approved by the DCFACC at the CAOC and the CJTF-OIR DCOM-A for strike on 02 June 2015. Finally, the target was briefed at the 01 June 2015 CJTF-OIR Fires and Effects Synchronization Board as a night strike package with one target and six JDPI.33
- e. (S/REL TO USA, IRKS) Was the basis of the authorization of the engagement reasonable given the circumstances at the time? Yes. The preponderance of the evidence at the time of the authorization of the engagement and the attack showed that the Al Hawijah ISIL VBIED Factory was a lawful military target,

(b)(1)1.4a The body of intelligence collected and the physical characteristics of the target determined to a reasonably high certainty that it was used for IED and VBIED production. (b)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g (b)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g

- f. (U) Were any USCENTCOM or CJTF-OIR policies, practices, or procedures violated by the authorization of the engagement? No. All the evidence suggests that target nomination, development, weaponeering, and briefing were conducted in accordance USCENTCOM or CJTF-OIR policies, practices, or procedures.
- g. (S//REL TO USA, FVEY) What CJTF-OIR procedures are required to mitigate civilian casualties and collateral damage? CJTF-OIR OPORD 15-001 directs that target development will be conducted in accordance with the Rules of Engagement, the CJCSI 3160.01A, No-Strike and the Collateral Damage Estimation Methodology, and the USCENTCOM Supplement to the CJCSI 3160.01A.36 (b)(1)1.4a

(b)(1)1.4a

<sup>30</sup> Exhibit 4 - Hawijah Intel Source Document

<sup>31</sup> Exhibit 8 - JTAB, 29 MAY 15

<sup>32</sup> Exhibit 10 - Email- (b)(1)1.4a Paper JIPTL Nomination

<sup>33</sup> Exhibit 13 - 01 Jun Fires and Effects Synch Board

Exhibit 16(b)(1)1 PAPER JIPTL
 Exhibit 4 - Hawijah Intel Source Document

<sup>&</sup>lt;sup>36</sup> Tab A (Target Development Guidance) To Appendix 4 To Annex B To CJTF-OIR OPORD 15-001

## SECRET! NOFORN

ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

(b)(1)1.4a	
(b)(1)1.4a, (b)(1)1.4c, (b)(1)1.4g	350

h. (S//REL TO USA, IRKS/LIMDIS) Were there civilian casualties as a result of this engagement? If so, describe the nature of the civilian casualties. Based on the BDA of the vicinity of the target, it is probable that the attack resulted in civilian casualties. Open-source media outlets report about 70 non-combatant deaths. Analysis of the conducted during the CAOC civilian casualty (CIVCAS) credibility inquiry determined that "the secondary explosion produced a visible shock wave extending beyond 750 feet from the target and an explosion that extended to 400 feet from the target." BDA imagery analyzed by the CAOC and USCENTCOM determined that the residential area located approximately 500 feet north of the target area had 25 buildings confirmed destroyed, 52 buildings with severe damage, 68 buildings with moderate damage, and 103 buildings with light damage. 42 The preponderance of the evidence in this investigation agrees with the CAOC CIVCAS credibility inquiry finding that the sheer size (b)(1)1.4a of the explosion in the vicinity of civilian structures and the post-strike damage assessment in the area, it is logical to conclude that civilian casualties may have occurred due to the secondary explosions."

i. (S//REL TO USA, IRKS) What are your recommendations, if any, to mitigate civilian casualties based on this incident? I believe the evidence shows that the target development process and CDM for the Al Hawijah ISIL VBIED Factory were legally and doctrinally sound.

39 Exhibit 16b)(1)1.PaAPER JIPTL

40 Exhibit 17 - Email- Al Hawijab, 10 U.S.C. 130b, 640 ug 15

ECRET# NOFOR

<sup>&</sup>lt;sup>37</sup> Appendix 9 (Rules Of Engagement) To Annex C To CJTF-OIR OPORD 15-001; CJCSI 3160.01A, No-Strike and the Collateral Damage Estimation Methodology, 12 October 2012, pg. D-A-1

<sup>&</sup>lt;sup>38</sup> Deliberate Targeting Process at Combined Joint Task Force – Operation Inherent Resolve (CJTF-OIR), 13 July 2015. Also reference the exhibits described in paragraphs 3.a. to 3.i. of this memorandum.

<sup>&</sup>lt;sup>41</sup> Exhibit 15 - CAOC CIVCAS Credibility Inquiry 2 June 2015; Exhibit 2 - Strike 2 June 15 VBIED Factory Impact Video

<sup>42</sup> Exhibit 3 - OIR Daily BDA Update, 05 June 2015

### SECRETA NOFORN

ACOP-AV

SUBJECT: (S//REL TO USA, MESF) Informal AR 15-6 Investigation Findings and Recommendations for the Al Hawijah ISIL VBIED Factory strike, 02 June 2015

The variable that cannot be accounted for in CDM is secondary explosions because it may not be possible to determine the type and quantity of explosives stored in VBIED or IED facilities and the explosion results "cannot be consistently measured or predicted." Therefore, it should be reasonably assumed that an attack on these facilities will cause secondary explosions to some

degree.	(b)(1)1.4a, (b)(5)	
	(b)(1)1.4a, (b)(5)	co
		0/00
	(b)(1)1.4a, (b)(5)	
		-1 -4 (bVG)

6. (U//<del>FOUO)</del> The point of contact for this action is the undersigned at SVOIP: (b)(3) 10 U.S.C. 130b, (b)(6)

3 Encls

1. Appointment of Investigating Officer orders, 21 July 2015

2. Investigation Chronology

3. Index of Exhibits

(b)(3) 10 U.S.C. 130b, (b)(6)

Investigating Officer

ECRET/ NOFORN

CJCSI 3160.01A, No-Strike and the Collateral Damage Estimation Methodology, 12 October 2012, pg. D-6
 CJCSI 3122.06D, Sensitive Target Approval and Review (STAR) Process, 12 November 2013